



# Field Attachable Fittings



**Hardy Spicer, 1/9 Monterey Road, Dandenong South, Victoria, 3175**

**Toll free Ph: 1300 304 673**

**[www.hardyspicer.com.au](http://www.hardyspicer.com.au)**

**DISCLAIMER**

**Disclaimer**

The information and dimensions listed in these catalogues is correct to the best of our knowledge and belief, having been compiled from reliable and official sources of information. However Hardy Spicer Driveshaft and Hydraulic Services (HS Company Pty Ltd) accepts no responsibility for possible errors, omissions or unsuitable parts being listed or fitted to any vehicle. Dimensions listed are nominal throughout.

Due to our continuous product and range development we reserve the right to alter the specification without prior notice.

We welcome any feedback re suspected errors or omissions to the information enclosed. We can be contacted via email [hspicer@hardyspicer.com.au](mailto:hspicer@hardyspicer.com.au)  
Or via Ph 03 9794 1900 or Fax 03 97069928  
Alternatively via mail at PO Box 4262 Dandenong South Vic. 3164

www.hardyspicer.com.au

Document No:	HSHYDCAT
Issue:	4
Issue Date:	01/02/2007

## FIELD ATTACHABLE COUPLINGS

### CONTENTS

DESCRIPTION:	PART No.	SECTION
<b>FIELD ATTACHABLE COUPLINGS</b>		
FIELD ATTACHABLE FERRULES .....	FAF-1T .....	D:4-3
FIELD ATTACHABLE FERRULES .....	FAF-2A .....	D:4-3
FIELD ATTACHABLE FERRULES .....	FAF-2T .....	D:4-3
BSPT MALE .....	FABM .....	D:4-4
BSPP FEMALE .....	FABF .....	D:4-4
BSPP FEMALE 45° .....	FABF45 .....	D:4-5
BSPP FEMALE 90° SWEPT .....	FABF90S .....	D:4-5
BSPP FEMALE 90° COMPACT .....	FABF90 .....	D:4-6
JIC MALE .....	FAJM .....	D:4-7
JIC FEMALE .....	FAJF .....	D:4-7
JIC FEMALE 45° .....	FAJF45 .....	D:4-8
JIC FEMALE 90° SWEPT .....	FAJF90S .....	D:4-8
JIC FEMALE 90° COMPACT .....	FAJF90 .....	D:4-9
LIFE SAVER .....	FALS .....	D:4-9

### R5 AUTOMOTIVE FIELD ATTACHABLE COUPLINGS

BSP FEMALE .....	R5BF .....	D:4-11
BSPT MALE .....	R5BM .....	D:4-11
BSP 45° FEMALE .....	R5BF45 .....	D:4-11
BSP 90° FEMALE .....	R5BF90 .....	D:4-12
JIC FEMALE .....	R5JF .....	D:4-12
JIC MALE .....	R5JM .....	D:4-13
JIC 45° FEMALE .....	R5JF45 .....	D:4-13
JIC 90° FEMALE .....	R5JF90 .....	D:4-13
SAE FEMALE .....	R5SF .....	D:4-14
NPT MALE .....	R5NM .....	D:4-14
INVERTED FLARE MALE SWIVEL .....	R5IFMS .....	D:4-14


### PUSH-ON COUPLINGS

BSPT MALE .....	PCBM .....	D:4-15
BSPP FEMALE .....	PCBF .....	D:4-15
BSPP FEMALE 90° .....	PCBF90 .....	D:4-15
JIC FEMALE .....	PCJF .....	D:4-16
JIC FEMALE 90° .....	PCJF90 .....	D:4-16
JIC MALE .....	PCJM .....	D:4-16
SAE FEMALE .....	PCSF .....	D:4-17
NPT MALE .....	PCNM .....	D:4-17

www.hardyspicer.com.au

Document No:	HSYDCAT
Issue:	4
Issue Date:	01/02/2007


**FIELD ATTACHABLE COUPLINGS**



[www.hardyspicer.com.au](http://www.hardyspicer.com.au)

Document No:	HSHYDCAT
Issue:	4
Issue Date:	01/02/2007


## FIELD ATTACHABLE COUPLINGS



## FIELD ATTACHABLE FERRULE FOR R 1T HOSE

### NON SKIVE HOSE


PART NUMBER	HOSE BORE		DIMENSIONS mm		FOR INSERT TYPE
	inch	mm	L	H	
FAF-1T-04	1/4"	6	40	21	STANDARD
FAF-1T-06	3/8"	10	50	26	STANDARD
FAF-1T-08	1/2"	13	51	27	STANDARD
FAF-1T-10	5/8"	16			STANDARD
FAF-1T-12	3/4"	20	62	34	STANDARD
FAF-1T-16	1"	25	74	46	STANDARD
FAF-1T-20	1-1/4"	32			STANDARD



## FIELD ATTACHABLE FERRULE FOR R 2A HOSE

### SKIVE HOSE

PART NUMBER	HOSE BORE		SKIVE LENGTH mm +0.5	DIMENSIONS mm		FOR INSERT TYPE
	inch	mm		L	H	
FAF-2A-04	1/4"	6	28	44	19	STANDARD
FAF-2A-06	3/8"	10	34	50	24	STANDARD
FAF-2A-08	1/2"	13	40	51	27	STANDARD
FAF-2A-10	5/8"	16				STANDARD
FAF-2A-12	3/4"	20	44	62	35	STANDARD
FAF-2A-16	1"	25	48	74	46	STANDARD
FAF-2A-20	1-1/4"	32		85.5	55	STANDARD
FAF-2A-24	1-1/2"	38		86	61	STANDARD
FAF-2A-32	2"	50		94	75	STANDARD



## FIELD ATTACHABLE FERRULE FOR R 2T HOSE


### NON SKIVE HOSE

PART NUMBER	HOSE BORE		DIMENSIONS mm		FOR INSERT TYPE
	inch	mm	L	H	
FAF-2T-04	1/4"	6	40	21	STANDARD
FAF-2T-06	3/8"	10	50	26	STANDARD
FAF-2T-08	1/2"	13	51	27	STANDARD
FAF-2T-10	5/8"	16	50	32	STANDARD
FAF-2T-12	3/4"	20	62	34	STANDARD
FAF-2T-16	1"	25	74	46	STANDARD
FAF-2T-20	1-1/4"	32	85.5	55	STANDARD
FAF-2T-24	1-1/2"	38	86	61	STANDARD
FAF-2T-32	2"	50.8	94	75	STANDARD

www.hardyspicer.com.au

Document No:	HSHYDCAT
Issue:	4
Issue Date:	01/02/2007


## FIELD ATTACHABLE COUPLINGS



### FIELD ATTACHABLE BSP MALE

#### STANDARD HOSE ENDS

PART NUMBER	THREAD T	HOSE BORE		DIMENSIONS mm					
		inch	mm	L	B	A	C	H1	
FABM-02-04	1/8 - 28	1/4	6						
FABM-04-04	1/4 - 19	1/4	6	65	4	34	16	0.562"	
FABM-04-06	1/4 - 19	3/8	10						
FABM-06-04	3/8 - 19	1/4	6						
FABM-06-06	3/8 - 19	3/8	10	72	7	36	17	0.687"	
FABM-08-06	1/2 - 14	3/8	10	78	7	42	22	0.875"	
FABM-08-08	1/2 - 14	1/2	13	80	10	42	22	0.875"	
FABM-12-12	3/4 - 14	3/4	20	96	15	48	22	1.125"	
FABM-16-16	1 - 11	1	25	114	21	61	28	1.375"	
FABM-20-20	1-1/4 - 11	1-1/4	32						
FABM-24-24	1-1/2 - 11	1-1/2	38						



### FIELD ATTACHABLE BSPP FEMALE


#### STANDARD HOSE ENDS

PART NUMBER	THREAD T	HOSE BORE		DIMENSIONS mm					
		inch	mm	L	B	A	C	H1	H2
FABF-04-04	1/4 - 19	1/4	6	58	4	27	4	0.562"	19
FABF-04-06	1/4 - 19	3/8	10						
FABF-06-04	3/8 - 19	1/4	6						
FABF-06-06	3/8 - 19	3/8	10	66	7	30	6	0.687"	22
FABF-08-06	1/2 - 14	3/8	10	69	7	33	6	0.875"	27
FABF-08-08	1/2 - 14	1/2	13	71	10	33	6	0.875"	27
FABF-12-12	3/4 - 14	3/4	20	86	15	38	8	1.125"	32
FABF-16-12	1 - 11	1	25						
FABF-16-16	1 - 11	1	25	100	21	47	10	1.375"	41
FABF-20-20	1-1/4 - 11	1-1/4	32						
FABF-24-24	1-1/2 - 11	1-1/2	38						

www.hardyspicer.com.au

Document No:	HSHYDCAT
Issue:	4
Issue Date:	01/02/2007


## FIELD ATTACHABLE COUPLINGS



## FIELD ATTACHABLE BSPF FEMALE 45°

### STANDARD HOSE ENDS

PART NUMBER	THREAD T	HOSE BORE		DIMENSIONS mm					
		inch	mm	L	B	A	C	H1	H2
FABF45-04-04	1/4 - 19	1/4	6	71	4	40	13	0.562"	19
FABF45-06-06	3/8 - 19	3/8	10	81	7	45	16	0.687"	22
FABF45-08-06	1/2 - 14	3/8	10	90	7	50	18	0.687"	27
FABF45-08-08	1/2 - 14	1/2	13	86	10	50	18	0.875"	27
FABF45-12-12	3/4 - 14	3/4	20	106	15	58	21	1.125"	32
FABF45-16-16	1 - 11	1	25	127	21	74	24	1.375"	36
FABF45-20-20	1-1/4 - 11	1-1/4	32						
FABF45-24-24	1-1/2 - 11	1-1/2	38						



## FIELD ATTACHABLE BSPF FEMALE 90° SWEPT


### STANDARD HOSE ENDS

PART NUMBER	THREAD T	HOSE BORE		DIMENSIONS mm					
		inch	mm	L	B	A	C	H1	H2
FABF90S-04-04	1/4 - 19	1/4	6	63	4	32	24	0.562"	19
FABF90S-06-06	3/8 - 19	3/8	10	74	7	38	30	0.687"	22
FABF90S-08-06	1/2 - 14	3/8	10	79	7	43	37	0.687"	27
FABF90S-08-08	1/2 - 14	1/2	13	81	10	43	37	0.875"	27
FABF90S-12-12	3/4 - 14	3/4	20	102	15	54	46	1.125"	32
FABF90S-16-16	1 - 11	1	25	125	21	72	57	1.375"	41
FABF90S-20-20	1-1/4 - 11	1-1/4	32						
FABF90S-24-24	1-1/2 - 11	1-1/2	38						

www.hardyspicer.com.au

Document No:	HSHYDCAT
Issue:	4
Issue Date:	01/02/2007

**FIELD ATTACHABLE COUPLINGS**



**FIELD ATTACHABLE BSPP FEMALE 90° COMPACT  
STANDARD HOSE ENDS**


PART NUMBER	THREAD T	HOSE BORE		DIMENSIONS mm					
		inch	mm	L	B	A	C	H1	H2
FABF90-04-04	1/4 - 19	1/4	6	49	4		28		
FABF90-06-06	3/8 - 19	3/8	10	60	7		34		
FABF90-08-06	1/2 - 14	3/8	10	73	10		35		
FABF90-08-08	1/2 - 14	1/2	13	61	10		36		
FABF90-12-12	3/4 - 14	3/4	20	85	15		45		
FABF90-16-16	1 - 11	1	25	98	19		54		

www.hardyspicer.com.au

Document No:	HSHYDCAT
Issue:	4
Issue Date:	01/02/2007




## FIELD ATTACHABLE COUPLINGS



### FIELD ATTACHABLE JIC MALE

#### STANDARD HOSE ENDS

PART NUMBER	THREAD T	HOSE BORE		DIMENSIONS mm					
		inch	mm	L	B	A	C	H1	
FAJM-07-04	7/16 - 20	1/4	6	62	4	31	14	0.562"	
FAJM-08-04	1/2 - 20	1/4	6						
FAJM-09-04	9/16 - 18	1/4	6	64	4	33	14	0.687"	
FAJM-09-06	9/16 - 18	3/8	10	69	7	33	14	0.687"	
FAJM-12-06	3/4 - 16	3/8	10	73	7	37	17	0.875"	
FAJM-12-08	3/4 - 16	1/2	13	75	10	37	17	0.875"	
FAJM-14-08	7/8 - 14	1/2	13	79	10	41	19	1.000"	
FAJM-14-10	7/8 - 14	5/8	16						
FAJM-17-12	1-1/16 - 12	3/4	20	96	15	48	22	1.125"	
FAJM-21-16	1-5/16 - 12	1	25	109	21	56	23	1.375"	
FAJM-26-20	1-5/8 - 12	1-1/4	32						
FAJM-30-24	1-7/8 - 12	1-1/2	38						



### FIELD ATTACHABLE JIC FEMALE


#### STANDARD HOSE ENDS

PART NUMBER	THREAD T	HOSE BORE		DIMENSIONS mm					
		inch	mm	L	B	A	C	H1	H2
FAJF-07-04	7/16 - 20	1/4	6	56	4	25	9	0.562"	0.625"
FAJF-08-04	1/2 - 20	1/4	6						
FAJF-09-04	9/16 - 18	1/4	6	58	4	27	10	0.562"	0.687"
FAJF-09-06	9/16 - 18	3/8	10	65	7	29	10	0.687"	0.687"
FAJF-12-06	3/4 - 16	3/8	10	68	7	32	11	0.875"	0.938"
FAJF-12-08	3/4 - 16	1/2	13	70	10	32	11	0.875"	0.938"
FAJF-14-08	7/8 - 14	1/2	13	71	10	33	13	0.875"	1.062"
FAJF-14-10	7/8 - 14	5/8	16						
FAJF-14-12	7/8 - 14	3/4	20						
FAJF-17-08	1-1/16 - 12	1/2	13						
FAJF-17-10	1-1/16 - 12	5/8	16						
FAJF-17-12	1-1/16 - 12	3/4	20	87	15	39	15	1.125"	1.250"
FAJF-21-16	1-5/16 - 12	1	25	101	21	48	16	1.375"	1.500"
FAJF-26-20	1-5/8 - 12	1-1/4	32						
FAJF-30-24	1-7/8 - 12	1-1/2	38						
FAJF-40-32	2-1/2 - 12	2	50						

www.hardyspicer.com.au

Document No:	HSYDCAT
Issue:	4
Issue Date:	01/02/2007


## FIELD ATTACHABLE COUPLINGS



### FIELD ATTACHABLE JIC FEMALE 45°

#### STANDARD HOSE ENDS

PART NUMBER	THREAD T	HOSE BORE		DIMENSIONS mm					
		inch	mm	L	B	A	C	H1	H2
FAJF45-07-04	7/16 - 20	1/4	6	73	4	42	16	0.562"	0.625"
FAJF45-09-04	9/16 - 18	1/4	6	78	4	47	18	0.625"	0.687"
FAJF45-09-06	9/16 - 18	3/8	10	84	7	48	18	0.687"	0.687"
FAJF45-12-06	3/4 - 16	3/8	10	88	7	52	21	0.687"	0.938"
FAJF45-12-08	3/4 - 16	1/2	13	90	10	52	21	0.875"	0.938"
FAJF45-14-08	7/8 - 14	1/2	13	94	10	58	23	0.875"	1.062"
FAJF45-17-12	1-1/16-12	3/4	20	106	15	58	21	1.125"	1.250"
FAJF45-21-16	1-5/16-12	1	25	128	21	75	25	1.375"	1.500"
FAJF45-26-20	1-5/8-12	1-1/4	32						



### FIELD ATTACHABLE JIC FEMALE 90° SWEEP


#### STANDARD HOSE ENDS

PART NUMBER	THREAD T	HOSE BORE		DIMENSIONS mm					
		inch	mm	L	B	A	C	H1	H2
FAJF90S-07-04	7/16 - 20	1/4	6	63	4	32	28	0.562"	0.625"
FAJF90S-09-04	9/16 - 18	1/4	6	68	4	37	34	0.625"	0.687"
FAJF90S-09-06	9/16 - 18	3/8	10	74	7	38	34	0.687"	0.687"
FAJF90S-12-06	3/4 - 16	3/8	10	79	10	43	41	0.687"	0.938"
FAJF90S-12-08	3/4 - 16	1/2	13	81	10	43	41	0.875"	0.938"
FAJF90S-14-08	7/8 - 14	1/2	13	86	10	48	46	0.875"	1.062"
FAJF90S-14-10	7/8 - 14	5/8	16						
FAJF90S-17-12	1-1/16-12	3/4	20	102	15	54	47	1.125"	1.250"
FAJF90S-21-16	1-5/16-12	1	25	125	21	72	57	1.375"	1.500"
FAJF90S-26-20	1-5/8-12	1-1/4	32						

www.hardyspicer.com.au

Document No:	HSHYDCAT
Issue:	4
Issue Date:	01/02/2007


## FIELD ATTACHABLE COUPLINGS



## FIELD ATTACHABLE JIC FEMALE 90° COMPACT

### STANDARD HOSE ENDS

PART NUMBER	THREAD T	HOSE BORE		DIMENSIONS mm						
		inch	mm	L	B	A	C	H1	H2	
FAJF90-07-04	7/16 - 20	1/4	6							
FAJF90-09-04	9/16 - 18	1/4	6	49	7		30			
FAJF90-09-06	9/16 - 18	3/8	10	60	7		33			
FAJF90-12-06	3/4 - 16	3/8	10							
FAJF90-12-08	3/4 - 16	1/2	13	63	10		39			
FAJF90-14-08	7/8 - 14	1/2	13	69	12		41			
FAJF90-17-12	1-1/16-12	3/4	20	80	15		45			



## FIELD ATTACHABLE LIFE SAVER

### STANDARD HOSE ENDS

PART NUMBER	THREAD T	HOSE BORE		DIMENSIONS mm						
		inch	mm	L	H					
FALS-04-04	1/4	1/4	6	53	0.562"					
FALS-06-06	3/8	3/8	10	58	0.687"					
FALS-08-08	1/2	1/2	13	60	0.875"					
FALS-12-12	3/4	3/4	20	73	1.125"					
FALS-16-16	1	1	25	86	1.375"					
FALS-20-20	1-1/4	1-1/4	32							

www.hardyspicer.com.au

Document No:	HSYDCAT
Issue:	4
Issue Date:	01/02/2007


**FIELD ATTACHABLE COUPLINGS**



[www.hardyspicer.com.au](http://www.hardyspicer.com.au)


Document No:	HSHYDCAT
Issue:	4
Issue Date:	01/02/2007

## SAE 100R5 FIELD ATTACHABLE FITTINGS PLUS FERRULE




### R5 BSPP FEMALE

PART No.	THREAD	HOSE BORE		DIMENSIONS mm	
		inch	mm	A	D
R5BF-04-04	1/4 - 19	3/16	4.80	52	29
R5BF-04-05	1/4 - 19	1/4	6.30	52	32.5
R5BF-06-06	3/8 - 19	5/16	7.90	59.4	30.5
R5BF-08-08	1/2 - 14	13/32	10.30	70.1	36.1
R5BF-10-10	5/8 - 14	1/2	12.70	75.4	35.6
R5BF-12-12	3/4 - 14	5/8	15.90	84.6	39.1
R5BF-16-16	1 - 11	7/8	22.00	78.0	37.6
R5BF-20-20	1-1/4 - 11	1-1/8	28.60	81.5	37.6
R5BF-24-24	1-1/2 - 11	1-3/8	34.90	87.1	39.6
R5BF-32-32	2 - 11	1-13/16	46.10	101.1	39.1



### R5 BSPT MALE

PART No.	THREAD	HOSE BORE		DIMENSIONS mm	
		inch	mm	A	D
R5BM-02-04	1/8 - 28	3/16	4.80	42.7	23.6
R5BM-04-04	1/4 - 19	3/16	4.80	47.5	28.4
R5BM-06-06	3/8 - 19	5/16	7.90	55.6	32.5
R5BM-08-08	1/2 - 14	13/32	10.30	69.6	39.8
R5BM-12-12	3/4 - 14	5/8	15.90	85.0	41.9
R5BM-16-16	1 - 11	7/8	22.00	77.0	44.4
R5BM-20-20	1-1/4 - 11	1-1/8	28.60	81.0	46.5
R5BM-24-24	1-1/2 - 11	1-3/8	34.90	83.6	46.5
R5BM-32-32	2 - 11	1-13/16	46.10	100.6	52.6




### R5 BSPP FEMALE 45°

PART No.	THREAD	HOSE BORE		DIMENSIONS mm	
		inch	mm	A	D
R5BF45-04-04	1/4 - 19	3/16	4.80	49.3	30.5
R5BF45-06-06	3/8 - 19	5/16	7.90	64.0	41.1
R5BF45-08-08	1/2 - 14	13/22	10.30	77.7	48.5
R5BF45-10-10	5/8 - 14	1/2	12.70	84.3	51.6
R5BF45-12-12	3/4 - 14	5/8	15.90	98.3	58.4
R5BF45-16-16	1 - 11	7/8	22.00	93.7	61.5
R5BF45-20-20	1-1/4 - 11	1-1/8	28.60	106.7	72.1
R5BF45-24-24	1-1/2 - 11	1-3/8	34.90	112.5	75.4

www.hardyspicer.com.au


Document No:	HSHYDCAT
Issue:	4
Issue Date:	01/02/2007

## SAE 100R5 FIELD ATTACHABLE FITTINGS PLUS FERRULE



### R5 BSPP FEMALE 90°

PART No.	THREAD	HOSE BORE		DIMENSIONS mm	
		inch	mm	A	D
R5BF90-04-04	1/4 - 19	3/16	4.80	44.2	25.1
R5BF90-06-06	3/8 - 19	5/16	7.90	60.4	37.6
R5BF90-08-08	1/2 - 14	13/32	10.30	74.1	45.0
R5BF90-10-10	5/8 - 14	1/2	12.70	81.0	48.3
R5BF90-12-12	3/4 - 14	5/8	15.90	95.0	55.1
R5BF90-16-16	1 - 11	7/8	22.00	90.2	57.9
R5BF90-20-20	1-1/4 - 11	1-1/8	28.60	105.1	70.6
R5BF90-24-24	1-1/2 - 11	1-3/8	34.90	112.3	75.2




### R5 JIC FEMALE

PART No.	THREAD	HOSE BORE		DIMENSIONS mm	
		inch	mm	A	D
R5JF-07-04	7/16 - 20	3/16	4.80	50.0	31.2
R5JF-08-05	1/2 - 20	1/4	6.30	53.8	34.3
R5JF-09-06	9/16 - 18	5/16	7.90	59.2	36.3
R5JF-12-06	3/4 - 16	5/16	7.90	61.5	36.3
R5JF-09-08	9/16 - 18	13/32	10.30	68.1	38.9
R5JF-12-08	3/4 - 16	13/32	10.30	70.6	41.1
R5JF-14-08	7/8 - 14	13/32	10.30	74.9	45.7
R5JF-14-10	7/8 - 14	1/2	12.70	78.7	46.0
R5JF-17-12	1-1/16 - 12	5/8	15.90	88.6	48.8
R5JF-21-16	1-5/16 - 12	7/8	22.00	71.6	39.4
R5JF-26-20	1-5/8 - 12	1-1/8	28.60	76.2	41.7
R5JF-30-24	1-7/8 - 12	1-3/8	34.90	83.3	46.5
R5JF-40-32	2-1/2 - 12	1-13/16	46.10	98.5	51.6

www.hardyspicer.com.au


Document No:	HSHYDCAT
Issue:	4
Issue Date:	01/02/2007

## SAE 100R5 FIELD ATTACHABLE FITTINGS PLUS FERRULE




### R5 JIC MALE

PART No.	THREAD	HOSE BORE		DIMENSIONS mm	
		inch	mm	A	D
R5JM-07-04	7/16 - 20	3/16	4.80	45.7	26.9
R5JM-08-05	1/2 - 20	1/4	6.30	50.0	30.0
R5JM-09-06	9/16 - 18	5/16	7.90	53.8	31.0
R5JM-12-08	3/4 - 16	13/32	10.30	65.3	36.1
R5JM-14-10	7/8 - 14	1/2	12.70	73.1	40.6
R5JM-17-12	1-1/16 - 12	5/8	15.90	85.0	45.2
R5JM-21-16	1-5/16 - 12	7/8	22.00	75.2	42.9
R5JM-26-20	1-5/8 - 12	1-1/8	28.60	81.8	47.2



### R5 JIC FEMALE 45°

PART No.	THREAD	HOSE BORE		DIMENSIONS mm	
		inch	mm	A	D
R5JF45-07-04	7/16 - 20	3/16	4.80	47.0	27.9
R5JF45-08-05	1/2 - 20	1/4	6.30	52.6	32.8
R5JF45-09-06	9/16 - 18	5/16	7.90	56.6	33.8
R5JF45-12-08	3/4 - 16	13/32	10.30	75.9	46.7
R5JF45-14-10	7/8 - 14	1/2	12.70	82.3	49.5
R5JF45-17-12	1-1/16 - 12	5/8	15.90	96.0	56.1
R5JF45-21-16	1-5/16 - 12	7/8	22.00	95.0	62.7
R5JF45-26-20	1-5/8 - 12	1-1/8	28.60	101.6	67.3
R5JF45-30-24	1-7/8 - 12	1-3/8	34.90		




### R5 JIC FEMALE 90°

PART No.	THREAD	HOSE BORE		DIMENSIONS mm	
		inch	mm	A	D
R5JF90-07-04	7/16 - 20	3/16	4.80	44.2	25.1
R5JF90-08-05	1/2 - 20	1/4	6.30	49.8	30.0
R5JF90-09-06	9/16 - 18	5/16	7.90	54.1	31.2
R5JF90-12-08	3/4 - 16	13/32	10.30	70.1	40.9
R5JF90-14-10	7/8 - 14	1/2	12.70	74.7	41.9
R5JF90-17-12	1-1/16 - 12	5/8	15.90	95.0	55.1
R5JF90-21-16	1-5/16 - 12	7/8	22.00	90.2	57.9
R5JF90-26-20	1-5/8 - 12	1-1/8	28.60	102.1	67.3
R5JF90-30-24	1-7/8 - 12	1-3/8	34.90		

www.hardyspicer.com.au


Document No:	HSHYDCAT
Issue:	4
Issue Date:	01/02/2007

## SAE 100R5 FIELD ATTACHABLE FITTINGS PLUS FERRULE




### R5 SAE FEMALE

PART No.	THREAD	HOSE BORE		DIMENSIONS mm	
		inch	mm	A	D
R5SF-10-06	5/8 - 18	5/16	7.90	59.9	37.1
R5SF-17-12	1-1/16 - 14	5/8	15.90	88.6	48.8



### R5 NPT MALE

PART No.	THREAD	HOSE BORE		DIMENSIONS mm	
		inch	mm	A	D
R5NM-02-04	1/8 - 27	3/16	4.80	42.7	23.6
R5NM-04-04	1/4 - 18	3/16	4.80	47.5	28.4
R5NM-04-05	1/4 - 18	1/4	6.30	49.8	30.0
R5NM-04-06	1/4 - 18	5/16	7.90	54.1	31.2
R5NM-06-06	3/8 - 18	5/16	7.90	54.1	31.2
R5NM-06-08	3/8 - 18	13/32	10.30	63.0	33.8
R5NM-08-08	1/2 - 14	13/32	10.30	69.3	40.1
R5NM-12-12	3/4 - 14	5/8	15.90	82.3	42.4
R5NM-16-16	1 - 1-1/2	7/8	22.00	75.9	43.7



### R5 IFS MALE


PART No.	THREAD	HOSE BORE		DIMENSIONS mm	
		inch	mm	A	D
R5IFMS-07-04	7/16 - 20	3/16	4.80	62.5	43.4
R5IFMS-09-06	9/16 - 18	5/16	7.90	69.1	46.2
R5IFMS-12-08	3/4 - 16	13/32	10.30	81.3	52.1

www.hardyspicer.com.au

Document No:	HSHYDCAT
Issue:	4
Issue Date:	01/02/2007




## PUSH-ON HOSE ENDS




## PUSH-ON COUPLINGS BSPT MALE

PART NUMBER	THREAD (in)	HOSE BORE	
		inch	mm
POBM-02-04	1/8-28	1/4	6.3
POBM-04-04	1/4-19	1/4	6.3
POBM-04-06	1/4-19	3/8	9.5
POBM-06-06	3/8-19	3/8	9.5
POBM-08-08	1/2-14	1/2	12.7
POBM-12-12	3/4-14	3/4	19.0



## PUSH-ON COUPLINGS BSP FEMALE

PART NUMBER	THREAD (in)	HOSE BORE	
		inch	mm
POBF-02-04	1/8-28	1/4	6.3
POBF-04-04	1/4-19	1/4	6.3
POBF-06-06	3/8-19	3/8	9.5
POBF-08-08	1/2-14	1/2	12.7
POBF-12-12	3/4-14	3/4	19.0




## PUSH-ON COUPLINGS BSP FEMALE 90°

PART NUMBER	THREAD (in)	HOSE BORE	
		inch	mm
POBF90-04-04	1/4-19	1/4	6.3
POBF90-06-06	3/8-19	3/8	9.5
POBF90-08-08	1/2-14	1/2	12.7
POBF90-12-12	3/4-14	3/4	19.0

www.hardyspicer.com.au


Document No:	HSHYDCAT
Issue:	4
Issue Date:	01/02/2007

**PUSH-ON HOSE ENDS**




**PUSH-ON COUPLINGS JIC FEMALE**

PART NUMBER	THREAD (in)	HOSE BORE	
		inch	mm
POJF-07-04	7/16-20	1/4	6.3
POJF-08-04	1/2-20	1/4	6.3
POJF-09-06	9/16-18	3/8	9.5
POJF-12-06	3/4-16	3/8	9.5
POJF-12-08	3/4-16	1/2	12.7
POJF-14-08	7/8-14	1/2	12.7
POJF-14-10	7/8-14	5/8	15.9
POJF-17-12	1-1/16-12	3/4	19.0



**PUSH-ON COUPLINGS JIC MALE**

PART NUMBER	THREAD (in)	HOSE BORE	
		inch	mm
POJM-07-04	7/16-20	1/4	6.3
POJM-09-06	9/16-18	3/8	9.5
POJM-12-06	3/4-16	3/8	9.5
POJM-12-08	3/4-16	1/2	12.7
POJM-14-08	7/8-14	1/2	12.7
POJM-17-12	1-1/16	3/4	19.0




**PUSH-ON COUPLINGS JIC FEMALE 90°**

PART NUMBER	THREAD (in)	HOSE BORE	
		inch	mm
POJF90-07-04	7/16-20	1/4	6.3
POJF90-09-06	9/16-18	3/8	9.5
POJF90-12-08	3/4-16	1/2	12.7
POJF90-17-12	1-1/16 - 12	3/4	19.0


www.hardyspicer.com.au	
Document No:	HSHYDCAT
Issue:	4
Issue Date:	01/02/2007

## PUSH-ON HOSE ENDS



## PUSH-ON COUPLINGS NPT MALE

PART NUMBER	THREAD (in)	HOSE BORE	
		inch	mm
PONM-02-04	1/8-27	1/4	6.3
PONM-04-04	1/4-18	1/4	6.3
PONM-04-06	1/4-18	3/8	9.5
PONM-06-06	3/8-18	3/8	9.5
PONM-06-08	3/8-18	1/2	12.7



## PUSH-ON COUPLINGS SAE FEMALE

PART NUMBER	THREAD (in)	HOSE BORE	
		inch	mm
POSF-10-06	5/8-18	3/8	9.5
POSF-17-12	1-1/16-14	3/4	19.1

www.hardyspicer.com.au

Document No:	HSHYDCAT
Issue:	4
Issue Date:	01/02/2007

**PUSH-ON HOSE ENDS**



[www.hardyspicer.com.au](http://www.hardyspicer.com.au)

Document No:	HSHYDCAT
Issue:	4
Issue Date:	01/02/2007